Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Thorsman - TPS-5/5x35 - nail plug - with screw - set of 100



1149608

Main

Range Of Product	Thorsman
Product Or Component Type	Nail plug
Device Short Name	TPS
Provided Equipment	Screw
Drilling Diameter	5 mm
Minimum Drilling Depth	42 mm
Screw Diameter	3 mm

Complementary

Colour Tint	Clear	
Material	Nail plug: PA (polyamide) Screw: steel electroplated	
Practical Load Capacity	Shear: 0.3 kN for concrete C25 4.5) Pull-out load: 0.1 kN for concrete C25 6) Shear: 0.3 kN for solid brick 4.5) Pull-out load: 0.1 kN for solid brick 6)	
Thickness	05 mm fixture	
Ambient Air Temperature For Operation	-4080 °C	
Diameter	10 mm	
Length	60 mm	

Environment

Quantity Per Set	Set of 100	
Net Weight	0.0029 ka	

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.900 cm
Package 1 Width	0.900 cm
Package 1 Length	6.000 cm
Package 1 Weight	2.900 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	100

Package 2 Height	5.600 cm
Package 2 Width	7.800 cm
Package 2 Length	12.200 cm
Package 2 Weight	290.000 g
Unit Type Of Package 3	BB2
Number Of Units In Package 3	1000
Package 3 Height	12.000 cm
Package 3 Width	16.000 cm
Package 3 Length	27.500 cm
Package 3 Weight	2.950 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Eu Rohs Directive	Not applicable, out of EU RoHS legal scope
Circularity Profile	No need of specific recycling operations