



Thorsman installation material, TSP-10xM5, cavity fixing, with screw, set of 25

1244003

Main

Range Of Product	Thorsman	
Product Or Component Type	Cavity fixing	
Device Short Name	TSP	
Provided Equipment	Screw	
Mounting Support	Board material - thickness: 320 mm	
Device Application	320 mm board material	
Mounting Support	Wall mounted	
Thread Type	M5	
Screw Diameter	5 mm	
Screw Length	50 mm	
Drilling Diameter	10 mm	
Colour Tint	Blue/white	

Complementary

Quantity Per Set	Set of 25
Net Weight	0.00896 kg

Environment

Material	Screw: steel electroplated Collar: PA (polyamide) Spring: PA (polyamide)	
Practical Load Capacity	Shear: 250 N for 13 mm board 4.5) Pull-out load: 75 N for 13 mm board 6)	
Thickness	012 mm fixture 13 mm board	
Environmental Characteristic	Corrosion resistance	
Ambient Air Temperature For Operation	-4080 °C	
Diameter	20 mm	
Length	54 mm	

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.000 cm

Package 1 Width	1.000 cm	
Package 1 Length	6.000 cm	
Package 1 Weight	9.000 a	

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
Ø	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations