

switch-disconnector I - 4 poles - 125 A

15060

- ! Discontinued on: 17 Nov 2014
- ! End-of-service on: 1 Apr 2019

(!) Discontinued

Main

Product Or Component Type	Switch disconnector
Device Short Name	ı
Device Application	Isolation Control
Poles Description	4P
Neutral Position	Left
Utilisation Category	AC-22A conforming to EN 60947-3 AC-22A conforming to IEC 60947-3
Suitability For Isolation	Yes conforming to EN 60947-3 Yes conforming to IEC 60947-3

Complementary

[le] Rated Operational Current	125 A at 415 V AC 50/60 Hz
[Ue] Rated Operational Voltage	415 V AC 50/60 Hz
[Ui] Rated Insulation Voltage	500 V AC 50/60 Hz conforming to IEC 60947-3
[Uimp] Rated Impulse Withstand Voltage	6 kV conforming to EN 60947-3 6 kV conforming to IEC 60947-3
Control Type	Toggle
Local Signalling	ON/OFF indication
Contact Position Indicator	Yes
Mounting Mode	Fixed
Mounting Support	DIN rail
9 Mm Pitches	8
Colour	Grey
Mechanical Durability	50000 cycles
Electrical Durability	2500 cycles
Connections - Terminals	Tunnel type terminals - 1 x 61 x 35 mm² - flexible Tunnel type terminals - 1 x 61 x 50 mm² - rigid
Wire Stripping Length	9 mm
Tightening Torque	3.5 N.m

Environment

Standards IEC 60947-3

Ip Degree Of Protection	IP4
Pollution Degree	3 conforming to IEC 60947-3
Tropicalisation	2

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	7.5 cm
Package 1 Width	8.5 cm
Package 1 Length	7 cm
Package 1 Weight	0.301 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Eu Rohs Directive

Not applicable, out of EU RoHS legal scope