

# modular analog voltmeter iVLT - 0..300 V

16060

! Discontinued on: 1 Jan 2008

(!) Discontinued

#### Main

Range	Acti9	
Device Short Name	iVLT	
Product Or Component Type	Voltmeter	
Range Compatibility	Prisma Prisma P door Prisma Prisma G door	
Scale	0-300 V	
Technology Type	Ferromagnetic	
Scale Type	Pseudo-linear scale over 90°	
Mounting Support	DIN rail	

## Complementary

Type Of Measurement	Voltage
Accuracy Class	Class 1.5
Power Consumption In Va	2.5 VA
Power Consumption In Va	2.5 VA
Overload Withstand	1.2 Un, permanently 2 Un, 5 s
9 Mm Pitches	8
Width	70 mm
Height	83 mm
Depth	66 mm
Temperature Drift	+/- 0.03 %/°C
Connections - Terminals	Tunnel type terminalrigid 1.56 mm²

#### **Environment**

Standards	IEC 61010-1 IEC 61000-4 IEC 60051-1
Ambient Air Temperature For Operation	-2550 °C
Reference Temperature	23 °C

### **Packing Units**

Unit Type Of Package 1 PCE

Number Of Units In Package 1	1
Package 1 Height	7.8 cm
Package 1 Width	7.7 cm
Package 1 Length	9.3 cm
Package 1 Weight	165.0 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	45
Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	7.912 kg

# **Contractual warranty**

Warranty 18 months

### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

### Well-being performance

Reach Free Of Svhc	
Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins