



ConneXium Unmanaged Switch - 5 ports for copper

TCSESU053FN0

! Discontinued on: 24 May 2022

① Discontinued

Main

Range Of Product	ConneXium
Product Or Component Type	Ethernet TCP/IP unmanaged switch
Concept	Transparent Ready
Communication Port Protocol	Ethernet TCP/IP
Port Ethernet	10/100BASE-TX - 5 port(s) copper cable
Maximum Number Of Switches In Cascade	Unlimited

Complementary

Integrated Connection Type	Shielded RJ45 copper cable	
Transmission Support Medium	Twisted shielded pairs cable CAT 5E for copper cable	
Maximum Cable Distance Between Devices	100 m copper cable	
[Us] Rated Supply Voltage	1224 V	
Supply Voltage Limits	9.632 V DC SELV	
Power Consumption In W	2.2 W	
Electrical Connection	Removable connector 3 ways power supply	
Mounting Support	35 mm symmetrical DIN rail	
Marking	CE UL RCM	
Local Signalling	1 LED (green) for power supply 1 LED per channel (yellow) for data rate (ETH LINK) 1 LED per channel (green) for link status	
Ethernet Cabling System	TF switches	
Width	25 mm	
Height	114 mm	
Depth	79 mm	
Net Weight	0.113 kg	

Environment

Ambient Air Temperature For Operation	060 °C
Relative Humidity	095 % non-condensing
Ip Degree Of Protection	IP30

Directives	2014/35/EU - low voltage directive 2014/30/EU - electromagnetic compatibility
Standards	UL 61010 EN/IEC 61131
Product Certifications	CE UL RCM

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4 cm
Package 1 Width	12.5 cm
Package 1 Length	17 cm
Package 1 Weight	173 g

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information

Product datasheet

TCSESU053FN0

Connections and Schema

Power Wiring

