Product datasheet

Specifications



Modbus line terminator, Altistart 48, 1500hm, for RJ45 connector

VW3A8306R

Main

Range Of Product	Altivar
Bus Type	Modbus
Accessory / Separate Part Category	Connection accessory
Accessory / Separate Part Type	Line terminator
Accessory / Separate Part Destination	RJ45 connector
Quantity Per Set	Set of 2

Complementary

Range Compatibility	Altivar 61		
	Altistart 48		
	Preventa XPS MF		
	Altivar Easy 310		
	Lexium SD3		
	Altivar 312 Altivar 12 Altivar 61Q Altivar 31 Altivar Machine ATV340 except Sercos drives Altivar 71 Altivar 31C Altivar 31C Altistart 22		
		Altivar 71Q	
		Communication Port Protocol	Modbus
		Terminator Resistance	150 Ohm
		Net Weight	0.2 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.000 cm
Package 1 Width	4.000 cm
Package 1 Length	4.000 cm
Package 1 Weight	9.000 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	100
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm

Package 2 Weight	1.534 kg
Unit Type Of Package 3	P06
Number Of Units In Package 3	800
Package 3 Height	75.000 cm
Package 3 Width	60.000 cm
Package 3 Length	80.000 cm
Package 3 Weight	17.804 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Reach Free Of Svhc	
V Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration