

# Head for push button, Harmony XAC, plastic, green, booted, spring return

XACA9413

#### Main

Range Of Product	Harmony XAC	
Product Or Component Type	Head for push-button	
Component Name	XACA	

## Complementary

•		
Marking	Unmarked	
Operator Additional Information	Booted	
Cap/Operator Or Lens Colour	Green	
Product Compatibility	XACA	
Mounting Location	Front of enclosure	
Sale Per Indivisible Quantity	10	
Standards	IEC 60947-5-1 CSA C22.2 No 14 UL 508 IEC 60204-32	
Ambient Air Temperature For Operation	-2570 °C	
Ambient Air Temperature For Storage	-4070 °C	
Vibration Resistance	15 gn (f= 10500 Hz) conforming to IEC 60068-2-6	
Shock Resistance	100 gn conforming to IEC 60068-2-27	
Overvoltage Category	Category Class II conforming to IEC 61140	
Ip Degree Of Protection	otection IP65 conforming to IEC 60529	
Ik Degree Of Protection	Protection IK08 conforming to IEC 62262	
Net Weight	0.01 kg	

## **Packing Units**

•	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.0 cm
Package 1 Width	14.0 cm
Package 1 Length	17.0 cm
Package 1 Weight	9.0 g
Unit Type Of Package 2	BAG
Number Of Units In Package 2	10

Package 2 Height	3.0 cm
Package 2 Width	7.5 cm
Package 2 Length	11.0 cm
Package 2 Weight	94.0 g
Unit Type Of Package 3	S03
Number Of Units In Package 3	700
Package 3 Height	30.0 cm
Package 3 Width	30.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	7.068 kg

## **Contractual warranty**

Warranty 18 months

### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

### Well-being performance

<b>②</b>	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
<b>②</b>	Mercury Free	
	Rohs Exemption Information	Yes
Rea	ch Regulation	REACh Declaration
Eu F	Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Chir	na Rohs Regulation	China RoHS declaration
Circ	ularity Profile	No need of specific recycling operations