Product datasheet

Specifications



connecting cable, Harmony XBT GT, RS485 cable for Shneider Electric PLC M200/M221/M241/ M251/M340, HMI Sub-D9 to PLC RJ45

XBTZ9008

Main

mann	
Range Of Product	Harmony XBT
Accessory / Separate Part Category	Connection accessories
Accessory / Separate Part Type	Connecting cable
Product Or Component Type	Connecting cable
Accessory / Separate Part Designation	Modbus serial link
Accessory / Separate Part Destination	XBT terminal
Cable Length	2.5 m

Complementary

Product Compatibility	XBTGT2	
	XBTGK	
Range Compatibility	Altivar 61	
	TeSys U	
	Altistart 48	
	Modicon M340	
	Lexium 05	
	Altivar 71	
	TeSys T	
	Altivar 31	
	Preventa XPSMC	
Electrical Connection	1 male connector RJ45	
Communication Port Protocol	Modbus	
Physical Interface	rsical Interface RS485	

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.000 cm
Package 1 Width	15.000 cm
Package 1 Length	15.000 cm
Package 1 Weight	121.000 g
Unit Type Of Package 2	S04
Number Of Units In Package 2	60
Package 2 Height	30.000 cm
Package 2 Width	40.000 cm

 Package 2 Length
 60.000 cm

 Package 2 Weight
 8.320 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Reach Free Of Svhc	
Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins