# **Product datasheet**

Specifications





# Complete joystick controller, Harmony XK, XDP, 8 directions, 1 NO contact per direction

XDPD1111C1

#### Main

Range Of Product	Harmony XK
Product Or Component Type	Complete joystick controller
Device Short Name	XDP
Mounting Diameter	48 mm
Bezel Material	Plastic
Sale Per Indivisible Quantity	1

### Complementary

<b>Operator Position Information</b>	2 positions
Operator Direction Information	1 direction
Contacts Type And Composition	8 NO
Contacts Usage	Standard
Mechanical Durability	1000000 cycles
Return	Spring return
Height	158.6 mm
Width	65 mm
Depth	44 mm
Net Weight	0.5 kg

#### Environment

Standards	IEC 60947-5-5 IEC 60947-5-4 JIS C 4520 UL 508 IEC 60947-1
	CSA C22.2 No 14 IEC 60947-5-1
Ambient Air Temperature For Operation	-4060 °C
Ip Degree Of Protection	IP65

### **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	7.62 cm
Package 1 Width	8.89 cm

17.78 cm

Package 1 Weight

489.88 g

# Sustainability Screen Premium

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance

Mercury Free

Rohs Exemption Information Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information